



## Leg Extensions

---

 [bodytone.eu/en/shop/pro/strength/selectorized-evolution/leg-extensions-e52/](https://bodytone.eu/en/shop/pro/strength/selectorized-evolution/leg-extensions-e52/)

### E52 Selectorized Evolution

#### Select product



Estimated delivery: 28 - 03 Oct



Get help with your quotation Call now (+34) 968 205 383

We help you with financing. Find out more about



Entrega gratis en península y Baleares en 24/48h

#### Additional information

##### Dimensions

125 x 100 x 158 cm

##### Weight

224 kg

##### Adjustments

Back fore / aft and leg pads with adjustable positions.

##### Weight plates

95 kg (125 Kg optional). Numbered and with 3 different colors depending on the level.

##### Pulley

Nylon with internal bearing and silent working.

##### Transmission

Steel cable (6 mm thick) PVC covered of 900 kg of Tensile strength.

**Guides**

Calibrated solid carbon steel and hardened double chrome treatment for better sliding of the weight plates.

**Structure**

High resistant Steel tube of 3 mm thick, laser cut for more precision and welded by robotized process.

**Padded**

High density Leather simile, perspiration resistant, antibacterial and antiallergenic with double padding in models with intensive use surface.

**Painting process**

7 layers of paint. 3 layers of protection and 4 of painting. Steel pickling and stabilized by immersion of the parts in different degreasing solutions to ensure a perfect and complete cleaning of the base material. Antioxidant primer to ensure adequate isolation of internal oxidation and good paint adhesion. 2 final coats of epoxy polyester powder paint, dried at 240°C.

**Design process**

Ergonomic and biomechanical study under our associated Professional's supervision and by professional athletes. After a long design process; from the drawing of the sketch, engineering research, prototypes making, and tested by Professionals athletes our products are released to the market.

**Help levers**

Balanced, releasing the initial excess of weight.

**Fairing**

High resistant and translucent ABS of 3,5 mm thick. Machine covers in both sides, according to EU regulations, avoiding possible damages caused by the contact with the plates.

ALUMINUM profile.

**Grips**

Antiallergenic and nonslip neoprene with solid ALUMINUM finishing.

**Platforms**

Nonslip cover materials 3M, to ensure a safe contact, positions.

**Weight selector**

Magnetized with ergonomic rotor and safety cable.

**Counter weights**

Designed to fit optimal biomechanics in solid rubber.

## **Regulators**

Different positions with angle and numbering indicator.

## **Others**

Mobile pieces ST52 Steel calibrated, beveled and mechanized.